

id 6414

Towboat


[2005 DP-1 AHTS Vessel, 71 TBP / 5920 BHP for Sale](#)

| | |
|---------------------------|---|
| ID kapal | 6414 |
| kategori | Towboat |
| kelas | ABS |
| Taun mbangun | 2005 |
| Gendéra | Antillen Walanda |
| Rega | \$1,750,000 |
| Kapal ditambahake tanggal | 2022-10-15 |
| Ditambahake dening | Horizon Offshore Services |

Bobot sing diukur

| | |
|-----|------|
| GRT | 1674 |
| NRT | 502 |

Ukuran kapal

| | |
|-------------------------|------|
| Length overall (LOA), m | 60.7 |
| Draf kapal, m | 4.9 |

Informasi Tambahan

| | |
|----------------|------------------|
| Mesin Utama | - rated 5920 BHP |
| Self-propelled | |
| Dek | 1 |

| | |
|------------------|---|
| Kapal sing padha | Nuduhake kapal sing padha |
| Panyuwunan | Panjaluk tuku sing cocog |
| e-mail | Kirim E-mail |



AHTS VESSEL AVAILABLE FOR SALE



5,900 BHP ANCHOR HANDLING TUG/SUPPLY VESSEL

Vessel Characteristics

| | | |
|-----------------|--|---------|
| Length Overall | 207.0 | 681.0 |
| Beam | 33.0 | 108.0 |
| Depth | 10.0 | 32.8 |
| Maximum Draft | 10.0 | 32.8 |
| Minimum Draft | 2.0 | 6.6 |
| Freeboard | 17.0 | 53.4 |
| Displacement | 1,000.0 | 3,200.0 |
| Deadweight | 1,000.0 | 3,200.0 |
| Clear Deck Area | 200.0 | 650.0 |
| Clear Deck Area | 600.0 | 1,800.0 |
| Deck Strength | 200.0 | 650.0 |
| Deck Machinery | 200 - 1000 BHP, 1000 - 2000 BHP, 2000 - 3000 BHP | |

Capacities

| | | |
|------------------------------|-------|-------|
| Deck Cargo | 200.0 | 650.0 |
| Fuel Oil | 100.0 | 300.0 |
| Portable Water | 100.0 | 300.0 |
| Fresh Water | 100.0 | 300.0 |
| Diesel (Generator) | 100.0 | 300.0 |
| Bulk Tanks (M ³) | 100.0 | 300.0 |
| Water Tank (M ³) | 100.0 | 300.0 |

Further specifications

Machinery

| | |
|-------------------------|---------------|
| Main Engine (2) | MAN B&W 12G70 |
| Generator (2) | MAN B&W 12G70 |
| Propeller (2) | MAN B&W 12G70 |
| Fuel System | MAN B&W 12G70 |
| Primary Generator (2) | MAN B&W 12G70 |
| Secondary Generator (2) | MAN B&W 12G70 |
| Emergency Generator (2) | MAN B&W 12G70 |
| Boiler (2) | MAN B&W 12G70 |
| Water Pump (2) | MAN B&W 12G70 |
| Water Pump (2) | MAN B&W 12G70 |
| Water Pump (2) | MAN B&W 12G70 |

Tow/Anchor Handling

| | |
|-------|---------------|
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |
| Winch | MAN B&W 12G70 |

Nav/Comms Equipment

| | |
|----------------|---------------|
| Radar | MAN B&W 12G70 |
| Depth Recorder | MAN B&W 12G70 |
| Chart Plotter | MAN B&W 12G70 |
| Weather Log | MAN B&W 12G70 |
| Radio | MAN B&W 12G70 |
| Net Deck | MAN B&W 12G70 |

Accommodations

| | |
|-------------------|---------------|
| No. of berths | MAN B&W 12G70 |
| Cabins | MAN B&W 12G70 |
| Cooling for Cabin | MAN B&W 12G70 |
| Cooling for Deck | MAN B&W 12G70 |
| Refrigerator | MAN B&W 12G70 |

Special Equipment

| | |
|------------------|---------------|
| Hoisting | MAN B&W 12G70 |
| Special Hoisting | MAN B&W 12G70 |
| Hoisting System/ | MAN B&W 12G70 |
| Hoisting System/ | MAN B&W 12G70 |
| Hoisting System/ | MAN B&W 12G70 |

Registration


| | |
|------------------|---------------|
| Flag State | MAN B&W 12G70 |
| Year Built | MAN B&W 12G70 |
| Builder | MAN B&W 12G70 |
| Registration No. | MAN B&W 12G70 |

Performance*

| | |
|------------------|---------------|
| Maximum | MAN B&W 12G70 |
| Crude Oil | MAN B&W 12G70 |
| Minimum | MAN B&W 12G70 |
| Steady | MAN B&W 12G70 |
| Range @ 10 knots | MAN B&W 12G70 |
| Service Fuel | MAN B&W 12G70 |
| Service Rate | MAN B&W 12G70 |
| Service | MAN B&W 12G70 |
| Service | MAN B&W 12G70 |
| Service | MAN B&W 12G70 |
| Service | MAN B&W 12G70 |

Deck Equipment

| | |
|--------------|---------------|
| Anchor (2) | MAN B&W 12G70 |
| Anchor Chain | MAN B&W 12G70 |
| Crane | MAN B&W 12G70 |
| Capstan (2) | MAN B&W 12G70 |
| Tripod (2) | MAN B&W 12G70 |



DP Capability Plot



Capacity Table

| Tank | Capacity | Volume m ³ | Dead wt | Dry Bulk | General | Petroleum | Crack | Other | Oil | Chemicals | Liquid | Gas | Oil | Other |
|---|----------|-----------------------|---------|----------|---------|-----------|-------|-------|-------|-----------|--------|-----|-----|-------|
| 000000 T0 100 | 000000 | 132.8 | | | | 132.8 | | | | | | | | |
| 000000 T0 200 | 000000 | 77.8 | | | | 77.8 | | | | | | | | |
| 000000 T0 300 | 000000 | 65.9 | | | | 65.9 | | | | | | | | |
| 000000 T0 400 | 000000 | 76.6 | | | | 76.6 | | | | | | | | |
| 000000 T0 500 | 000000 | 76.4 | | | | 76.4 | | | | | | | | |
| 000000 T0 600 | 000000 | 45.7 | | | | 45.7 | | | | | | | | |
| 000000 T0 700 | 000000 | 45.9 | | | | 45.9 | | | | | | | | |
| 000000 T0 800 | 000000 | 74.5 | | | | 74.5 | | | | | | | | |
| 000000 T0 900 | 000000 | 74.5 | | | | 74.5 | | | | | | | | |
| 000000 T0 1000 | 000000 | 37.0 | | | | 37.0 | | | | | | | | |
| 000000 T0 1100 | 000000 | 37.0 | | | | 37.0 | | | | | | | | |
| 000000 T0 1200 | 000000 | 44.5 | | | | 44.5 | | | | | | | | |
| 000000 T0 1300 | 000000 | 44.5 | | | | 44.5 | | | | | | | | |
| 000000 T0 1400 | 000000 | 41.6 | | | | 41.6 | | | | | | | | |
| 000000 T0 1500 | 000000 | 41.6 | | | | 41.6 | | | | | | | | |
| 000000 T0 1600 | 000000 | 35.0 | | | | 35.0 | | | | | | | | |
| 000000 T0 1700 | 000000 | 35.0 | | | | 35.0 | | | | | | | | |
| 000000 T0 1800 | 000000 | 44.7 | | | | 44.7 | | | | | | | | |
| 000000 T0 1900 | 000000 | 44.7 | | | | 44.7 | | | | | | | | |
| 000000 T0 2000 | 000000 | 33.4 | | | | 33.4 | | | | | | | | |
| 000000 T0 2100 | 000000 | 33.4 | | | | 33.4 | | | | | | | | |
| 000000 T0 2200 | 000000 | 15.8 | | | | 15.8 | | | | | | | | |
| 000000 T0 2300 | 000000 | 15.8 | | | | 15.8 | | | | | | | | |
| 000000 T0 2400 | 000000 | 36.8 | | | | 36.8 | | | | | | | | |
| 000000 T0 2500 | 000000 | 11.7 | | | | 11.7 | | | | | | | | |
| 000000 T0 2600 | 000000 | 11.7 | | | | 11.7 | | | | | | | | |
| 000000 T0 2700 | 000000 | 30.8 | | | | 30.8 | | | | | | | | |
| 000000 T0 2800 | 000000 | 30.8 | | | | 30.8 | | | | | | | | |
| 000000 T0 2900 | 000000 | 46.4 | | | | 46.4 | | | | | | | | |
| 000000 T0 3000 | 000000 | 46.7 | | | | 46.7 | | | | | | | | |
| 000000 T0 3100 | 000000 | 46.7 | | | | 46.7 | | | | | | | | |
| 000000 T0 3200 | 000000 | 78.0 | | | | 78.0 | | | | | | | | |
| 000000 T0 3300 | 000000 | 78.0 | | | | 78.0 | | | | | | | | |
| 000000 T0 3400 | 000000 | 45.8 | | | | 45.8 | | | | | | | | |
| 000000 T0 3500 | 000000 | 45.8 | | | | 45.8 | | | | | | | | |
| 000000 T0 3600 | 000000 | 45.8 | | | | 45.8 | | | | | | | | |
| 000000 T0 3700 | 000000 | 4.9 | | | | 4.9 | | | | | | | | |
| 000000 T0 3800 | 000000 | 5.1 | | | | 5.1 | | | | | | | | |
| Total Volume (m ³) | | 5.0 | 462.7 | 162.8 | 174.9 | 93.8 | 338.8 | 3.0 | 111.2 | 0.0 | 10.5 | 0.0 | 0.0 | 0.0 |
| Spec. Min. Total Volume (m ³) | | 5.0 | 517.5 | 161.5 | 200.5 | 91.5 | 393.4 | 3.0 | 111.2 | 0.0 | 10.5 | 0.0 | 0.0 | 0.0 |

*Capacities shown are for local content. Actual capacities may vary slightly.
 *Capacities shown in RED are excluded from the total volume.
 *Capacities shown in BLUE are included in another Tank's Capacity.
 *Capacities shown in GREEN are reserved for multiple Tank Capacities.

